



Callithrichids

Feed number: 3450

Suitable for: Callithrichids and other New World Primates

YOUR BENEFITS

- ◇ A balanced diet for maintenance and breeding, adapted to the needs of the Callithrichids and other New World Primates
- ◇ Small pellets for easy consumption by the small primate species
- ◇ Vitamin D3 supplementation adapted to the higher demand of callithrichids
- ◇ With moderate iron content for sensitive species (regular iron analyzes for quality monitoring)
- ◇ Contains carob (1.9%)
- ◇ Prebiotic ingredients (short-chain fructo-oligosaccharides): 0.25%
- ◇ Contains taurine (0.09%)
- ◇ without gluten-containing grains

We are happy to work with you to create an individual feeding recommendation



Full-scale picture of the feed
Colours may be different from the product

TYPE OF FEED, FORM, DELIVERY QUANTITY

- ◇ Supplementary feed
- ◇ Form: pellet 4-5 mm
- ◇ Delivery quantity: 15 kg paper bag
pallets of 600 kg
- ◇ Product number: 3450.PS.S15

Callithrichids

Feed number: 3450

FEED SPECIFICATIONS

Major nutrients (%)

Dry matter	90
Crude protein	24.5
Crude fat	8
Crude fiber	4.6
Crude ash	8
NFE	44.9
NDF	9.5
ADF	5.8
Starch	24
Sugar	6.6

Energy (MJ/kg)

GE	17.8
ME	13

Macrominerals (%)

Calcium	1
Phosphorus	0.8
Magnesium	0.25
Sodium	0.25
Potassium	0.8
Chlorine	0.3

Trace elements (mg/kg)

Iron	250
Zinc	106
Copper	27
Iodine	1.6
Manganese	61
Selenium	0.6
Cobalt	0.2

Vitamins (added, mg/kg)

Vitamin A (IU/KG)	27000
Vitamin D3 (IU/KG)	9000
Vitamin E	220
Vitamin K3	12
Vitamin B1	21
Vitamin B2	22
Vitamin B6	27
Vitamin B12	0.2
Nicotinic acid	113
Pantothenic acid	83
Folic acid	25
Biotin	0.7
Choline	1577
Vitamin C	890

Amino acids (%)

Arginine	1.5
Lysine	1.5
Methionine	0.56
Methionine + Cystine	0.92
Tryptophan	0.3
Threonine	1.0

Ingredients

Corn (NGMO), potato protein, soybean meal (NGMO), poultry meat meal, soybean oil (NGMO), yeast, linseed cake, lucerne meal, apple pomace, sucrose, sunflower cake, rice, carob, maltodextrin, mineral and vitamin premixes, fructo-oligosaccharides, amino acids

Remarks

- ◇ Given values are calculated averages in air-dry feed.
- ◇ Energy values calculated according to Kamphues et al. 2014. GE=gross energy, ME=metabolisable energy.
- ◇ ME calculated according to modified Atwater factors (3.5/8.5/3.5)
- ◇ Trace elements: calculated total content. Vitamin declaration: vitamins added before production. Estimated total vitamin content for ration calculations on request.
- ◇ Nutrients are subject to natural variation of the raw materials and their production process.

OUR FEED RECOMMENDATION

- ◇ Average feed consumption per day: about 5% of body weight (as dry matter) whereof 65% should be provided as pellets
- ◇ It is recommended to provide the required daily amount in minimum 2 meals. As a further part of the ration, the addition of acia gum, vegetables and insects is recommended. Preferably after the second meal.
- ◇ Always provide free access to fresh drinking water.

We are happy to work with you to create individual feeding recommendations for the respective species

Sources:

Crissey, S.D. et al. (2003). Nutrition Advisory Group Handbook. Fact Sheet 013, Callithrichids: Nutrition and Dietary Husbandry.
 Kamphues, J. et al. (2014). Supplemente zu Vorlesungen und Übungen in der Tierernährung, 12. Auflage, M.&H. Schaper, Hannover, pp 20-26.
 National Research Council (2003). Nutrient Requirements of Nonhuman Primates. Second revised edition, The National Academies Press, Washington D.C., USA