



BIRDS



# Flamingo floating feed breeding

Feed number: 3930

Suitable for: Flamingos

## YOUR BENEFITS

- ◇ Due to the extrusion process this feed has got good floating properties which allows species-appropriate feeding in the water
- ◇ Especially small extrudate for near natural feeding
- ◇ Without sprayed fat coating to prevent fat release into the water
- ◇ Vitamin and calcium supplementation for increased demand during the breeding season
- ◇ High-quality animal and vegetable sources of protein
- ◇ Contains canthaxanthin for a natural plumage color (40 mg/kg)
- ◇ Without any soybean and palmoil products



## TYPE OF FEED, FORM, DELIVERY QUANTITY

- ◇ Complete feed
- ◇ Form: extrudate, small
- ◇ Delivery quantity: 12.5 kg paper bag  
pallets of 375 kg
- ◇ Product number: 3930.ES.S12

Full-scale picture of the feed  
Colours may be different from the product

For your order: Granovit Zoofeed

CH-4303 Kaiseraugst  
Tel. +41 61 816 16 16  
Fax +41 61 816 18 00

zoofeed@granovit.ch  
www.granovit-zoofeed.com

2022-06-30



# Flamingo floating feed breeding

Feed number: 3930

## FEED SPECIFICATIONS

### Major nutrients (%)

Dry matter	88
Crude protein	30
Crude fat	4
Crude fiber	6
Crude ash	10
NFE	38
NDF	13
ADF	8
Starch	25
Sugar	3

### Energy (MJ/kg)

GE	16.6
ME	10.6

### Macrominerals (%)

Calcium	2.3
Phosphorus	1.1
Magnesium	0.2
Sodium	0.7
Potassium	0.9
Chlorine	1.2

### Trace elements (mg/kg)

Iron	300
Zinc	92
Copper	17
Iodine	1.1
Manganese	72
Selenium	0.8
Cobalt	0.7

### Vitamins (added, mg/kg)

Vitamin A (IU/KG)	7700
Vitamin D3 (IU/KG)	2620
Vitamin E	200
Vitamin K3	2.0
Vitamin B1	15
Vitamin B2	17
Vitamin B6	11
Vitamin B12	0.02
Nicotinic acid	55
Pantothenic acid	18
Folic acid	2.2
Biotin	0.2
Choline	900
Vitamin C	150

### Amino acids (%)

Arginine	1.6
Lysine	2.11
Methionine	1.3
Methionine + Cystine	1.78
Tryptophan	0.32
Threonine	1.13

### Ingredients

Fish meal, corn (NGMO), wheat, rapeseed extraction meal (NGMO), lucerne, corn gluten, sunflower extraction meal, minerals, vitamins, amino acids, canthaxanthin

### Remarks

- ◇ Given values are calculated averages in air-dry feed.
- ◇ Energy values calculated according to Kamphues et al. 2014. GE=gross energy, ME=metabolisable energy.
- ◇ Trace elements: calculated total content. Vitamin declaration: vitamins added before production. Estimated total vitamin content for ration calculations on request.
- ◇ Nutrients are subject to natural variation of the raw materials and their production process.

## OUR FEED RECOMMENDATION

- ◇ Feed several times a day in portions that can be fed by the animals within a short period of time to avoid sinking of the extrudates
- ◇ Administer the feed directly in the pond or in a large pool of water. Rations should be adjusted to the reproductive status and the loss caused by other animals feeding from the same feed, such as ducks.
- ◇ The breeding feed can be used for the whole population to stimulate the courtship, during the laying phase and in the first phase of the chick rearing. Subsequently, a switch to 3936 Flamingo maintenance is recommended. Ideally, the breeding feed is only used for a total of 3-4 months per year.
- ◇ Benchmark for pink flamingos: 200g / animal per day (may vary greatly according to season and husbandry conditions)

#### Sources:

Dierenfeld, E.S.; McDonald, D.L. (2005). Chapter 5 – Nutrition, Flamingo Husbandry Guidelines, ed. by Brown, C. (AZA) und King, C. (EAZA) Kamphues, J. et al. (2014). Supplemente zu Vorlesungen und Übungen in der Tierernährung, 12. Auflage, M.&H. Schaper, Hannover, pp 20-26 National Research Council (1994). Nutrient Requirements of Poultry, 9th rev. edition, National Academies Press, Washington D.C.