



BIRDS




# Wild fowl starter

Feed number: 3971

Suitable for: Park, wild and ornamental fowl

## YOUR BENEFITS

- ◇ Balanced complete feed for the supply of all nutrients, minerals, trace elements and vitamins
- ◇ Higher protein content adapted to the needs during growth
- ◇ Natural herbal extracts (0.15%) for coccidia sensitive animals
- ◇ Fine granules with a proportion of meal for an easy feed intake
- ◇ With phytase for a better phosphorus utilization (6-phytase: 750 FTU/kg)
- ◇ With added mycotoxin binder (0.05%) and mano-oligosaccharides on yeast base (0.1%)



Full-scale picture of the feed  
Colours may be different from the product

## TYPE OF FEED, FORM, DELIVERY QUANTITY

- ◇ Complete feed
- ◇ Form: Granules with meal
- ◇ Delivery quantity: 25 kg paper bag  
pallets of 750 kg
- ◇ Product number: 3971.OA.S25
- ◇ Storage: dry (<75% humidity), dark (no direct sunlight) and cool (10-25°C).  
Temperature fluctuations of > 10°C should be avoided. Always remove plastic film around pallets immediately after delivery



# Wild fowl starter

Feed number: 3971

## FEED SPECIFICATIONS

### Major nutrients (%)

Dry matter	89
Crude protein	25
Crude fat	5
Crude fiber	4
Crude ash	8
NFE	47
NDF	12
ADF	5
Starch	31
Sugar	4

### Energy (MJ/kg)

GE	17
ME	11.3

### Macrominerals (%)

Calcium	1.3
Phosphorus	0.8
Magnesium	0.2
Sodium	0.3
Potassium	1.0
Chlorine	0.3

### Trace elements (mg/kg)

Iron	350
Zinc	101
Copper	20
Iodine	1.8
Manganese	120
Selenium	0.5
Cobalt	0.1

### Vitamins (added, mg/kg)

Vitamin A (IU/KG)	9500
Vitamin D3 (IU/KG)	3000
Vitamin E	40
Vitamin K3	4
Vitamin B1	4
Vitamin B2	12
Vitamin B6	5
Vitamin B12	0.03
Nicotinic acid	70
Pantothenic acid	30
Folic acid	1.7
Biotin	0.3
Choline	400
Vitamin C	30

### Amino acids (%)

Arginine	1.59
Lysine	1.43
Methionine	0.62
Methionine + Cystine	1.06
Tryptophan	0.31
Threonine	0.96

### Ingredients

Soybean extraction meal, wheat, corn (NGMO), wheat bran, sunflower extraction meal, corn gluten (NGMO), protein peas, lucerne meal, calcium carbonate, soybean oil (NGMO), mineral and vitamin premixes, fish oil, amino acids, herbal extracts, yeast products

### Remarks

- ◇ Given values are calculated averages in air-dry feed. Nutrients are subject to natural variation of the raw materials and their production process.
- ◇ Energy values calculated according to Kamphues et al. 2014. GE=gross energy, ME=metabolisable energy.
- ◇ Trace elements: calculated total content. Vitamin declaration: vitamins added before production. Estimated total vitamin content for ration calculations on request.
- ◇ Nutrients are subject to natural variation of the raw materials and their production process.

## OUR FEED RECOMMENDATION

- ◇ This feed is offered ad libitum to the animals.
- ◇ Suitable for birds from the first day of life up to the 7th-10th week of life
- ◇ Always provide free access to fresh drinking water.

**It is recommended to use the pellet in an enriched feeding management that maximizes the animals' feeding time**

#### Sources:

Kamphues, J. et al. (2014). Supplemente zu Vorlesungen und Übungen in der Tierernährung, 12. Auflage, M.&H. Schaper, Hannover, pp 20-26  
National Research Council (1994), Nutrient Requirements of poultry, Ninth revised edition, National Academy Press